



Relume : A fractal analysis for the US stock market

Ikeda, Taro

(Citation)

神戸大学経済学研究科 Discussion Paper, 1637

(Issue Date)

2016

(Resource Type)

technical report

(Version)

Version of Record

(URL)

<https://hdl.handle.net/20.500.14094/81009606>



Relume: A fractal analysis for the US stock market

Taro Ikeda

October 2016

Discussion Paper No.1637

GRADUATE SCHOOL OF ECONOMICS

KOBE UNIVERSITY

ROKKO, KOBE, JAPAN

Relume: A fractal analysis for the US stock market

Taro Ikeda ^{*†}

October 12, 2016

Abstract

This note relumes fractal analysis on macroeconomics. We present a fractal market hypothesis for US stock prices.

Keywords: Fractal geometry, Hurst exponent, market efficiency, chaos

JEL classification: C18, E39, G14

Fractals are the concern of a new geometry, whose primary object is to describe the great variety of natural structures that are irregular, rough or fragmented, having irregularities of various sizes that bear a special ‘scaling’ relationship to one another. (Mandelbrot, et al., 1984)

1 Introduction

The recent financial crisis has cast doubt on traditional macroeconomics repeatedly. During the crash, international financial markets crashed simultaneously, and the fragility of numerous financial institutions and private banks was exposed. However, if agents in the real world had been rational and therefore had perfect foresight, the crisis would have been less severe.

Kindleberger (1977, Chap. 5) also criticized the rational expectations hypothesis from a historical perspective: the rational expectations response immediately to shocks on the long-run equilibrium, but in reality, expectations change more slowly.

The efficient market hypothesis also fails to capture certain aspects of financial markets’ behavior. The hypothesis suggests that asset prices follow a random walk, which implies that shocks to asset prices are not persistent because the current price contains all available information and responds immediately to new shocks through the rational expectations of agents.

^{*}I would like to thank Kenneth N. Kuttner, Jens Feder, Tamàs Vicsek, Kenneth J. Falconer, James B. Bassingthwaight, Paolo Grigolini, Shinichi Sato, Yoshinori Hayakawa, Jun-ichi Wakita, Masahiko Yoshii for their helpful comments and suggestions. Also, I would like to thank all participants of Rokko-forum in Kobe University.

[†]Research Fellow, Graduate School of Economics, Kobe University, 2-1 Rokko-dai, Nada, Kobe, Hyogo, Japan (E-mail: young.tubo315o@gmail.com)

Fractal geometry, established by Benoit B. Mandelbrot, addresses the problem of market efficiency. Mandelbrot (1971) sheds light on the long-memory property of asset prices, which he labeled the “Joseph Effect”—a shock that occurred in the distant past does not disappear, but rather continues to affect current prices. The intuitive definition of *fractals* provided by Mandelbrot (1986) is: *A fractal is a shape made of parts similar to the whole in some way.* Consistent with this definition, we examine the *self-affinity* (fractal dimension) of the S&P 500 stock price index in the US stock market.¹

A translation that scales time and distance by different factors is called affine, and curves that reproduce themselves in some sense under an affine transformation are called *self-affine* (Feder, 1988, Chap. 9). In general, stock prices are an example of this.²

This paper provides new perspectives on the US stock market using fractal geometry.³ We emphasize that US stock prices are fractal. To this end, we depend on rescaled range analysis to determine the fractal dimension of the stock price index.

This paper proceeds as follows. Section 2 describes our empirical methods for identifying the fractal dimension. Section 3 presents our empirical findings. Section 4 concludes.

2 Methodology

This section provides a brief summary of *Hurst’s rescaled range analysis* for specifying the fractal dimension D of the US stock price index.

We describe the stock price return for any given time t as the stochastic process $x(t) \in (x(1), \dots, x(T))$. Let $\langle \rangle$ be an ensemble average over window size τ :

$$\langle x(t) \rangle = \frac{1}{\tau} \sum_{t=l}^{l+\tau} x(t), \quad (1)$$

for $l \in (1, T)$. Then, let $x(t, \tau)$ be the *accumulated* dispersion for $x(t)$ from the average:

$$x(t, \tau) = \sum_{t=1}^T (x(t) - \langle x(t) \rangle), \quad (2)$$

and let $R(\tau)$ be the range for $x(t, \tau)$ over the window size τ :

$$R(\tau) = \max_{l \leq t \leq l+\tau} x(t, \tau) - \min_{l \leq t \leq l+\tau} x(t, \tau). \quad (3)$$

Clearly, the range R is an increasing function of τ .

Hurst (1951, 1955) uses the dimensionless ratio R/S , where S is the standard deviation of $x(t)$.⁴ He found that the observed rescaled range, $R(\tau)/S(\tau)$, is very well described by *the power law* as:

$$R(\tau)/S(\tau) \propto \tau^H, \quad 0 \leq H \leq 1. \quad (4)$$

¹Fractal geometry is related closely to chaos theory because the shape of a strange attractor is a type of fractal. See Branch and MacGough (2010) for beautiful bifurcations of the New Keynesian system with dynamic predictor selection of the agents.

²I would like to thank Shinichi Sato and Jun-ichi Wakita for raising this point.

³Branch and Evans (2011, 2013) develop sophisticated models of stock price dynamics with adaptive learning algorithms.

⁴Hurst investigates many natural phenomena such as the storage capacity of the Nile River.

Here, H corresponds to the *Hurst exponent*. We can deduce the fractal dimension D by the relationship, $D = 2 - H$ (Mandelbrot, 1985).⁵ The noise in the system decreases as H increases, implying that the trend in the variable is increasing. We distinguish three cases using H as follows.

- (i) *Antipersistence* ($0 \leq H < 0.50$): very noisy process. A time series that was increasing (decreasing) in the past will decrease (increase) today.
- (ii) *Random walk* ($H = 0.50$): ordinary Brownian motion frequently used in many applications. On average, past shocks have no effects on the series today.
- (iii) *Long memory* ($0.50 < H \leq 1.00$): superpersistent behavior. The noise in the distant past never disappears and therefore continues to affect the dynamics forever.

In case (iii), a Joker occurs on the time series with silent steps. It is possible that a previously increasing trend may suddenly become a decreasing trend in the future. Apart from the random walk hypothesis, the fractal market hypothesis, by its nature, considers the possibility of a large crash in stock markets, as is seen frequently in reality.

3 Empirical results

This section shows the estimated Hurst exponent for determining the fractal dimension of US stock prices. To this end, weekly values of the S&P 500 stock price index from the first week of September 2006 to the first week of September 2016 are used in log-differential form.⁶⁷ In our regression, we use nonparametric bootstrapping to calculate 95% confidence intervals for the Hurst exponent because it is impossible to define the variance of the regressand in the long-memory case.

3.1 Benchmark results

Figure 1 presents the fitted lines for equation (4) in logarithms and the scatter plot of the realized values for the rescaled range of S&P growth rates against the corresponding time windows. Note that the fitted lines generated by 5555 bootstrapping contain almost all realized values, which justifies our regression.

The estimated value of the Hurst exponent is reported in Table 1. As shown in the table, the Hurst exponent is 0.7250, and therefore the stock price return is fractal rather than a random walk. Furthermore, note that the 95% confidence intervals contain the range of $0.50 < H \leq 1.00$, so that our insist is prominent.⁸

⁵I would like to thank Tamás Vicsek for making this point.

⁶We use all available data from the Federal Reserve Economic Data (FRED) database.

⁷All results in this paper are robust with respect to data frequency and index type. Results for the Dow Jones Industrial Average index are available upon request.

⁸This result is amazing because Hurst's original estimates for H using his random walk simulation is 0.714 ± 0.091 .

3.2 Five-year cycle of US stock prices⁹

The high Hurst exponent indicates that stock prices are *strongly non-Gaussian*. However, in Figure 1, we find that the fitted line does not perfectly replicate the scatter plot: the plots deviate from the line for low values of τ . This suggests that the slope of the fitted line, H , may vary by τ . According to Feder (1988, Chap. 11), there exists a cycle in which the fitted value of H changes substantially. To show the dependence of H on τ , we implement sequential OLS by τ .

Figure 2 presents the Hurst exponent by sequential regression over all time spans.¹⁰ The Hurst exponent is unstable and records values smaller than 0.7250 over time spans of less than five years, while it converges to the estimated value thereafter. This result suggests that the stock price is less persistent and fickle during short horizons but becomes stable over horizons of longer than five years.

In sum, we found that US stock prices are fractal.

4 Conclusion

This paper revives fractal analysis in macroeconomics. Our results suggest that US stock prices are fractal, rather than random walks.

References

- [1] Branch, William A., Evans, George W., (2011) “Learning about risk and return: A simple model of bubbles and crashes.” *American Economic Journal: Macroeconomics*, American Economic Association, 3, 3, 159–191.
- [2] Branch, William A., Evans, George W., (2013) “Bubbles, crashes and risk.” *Economics Letters*, 120, 2, 254–258.
- [3] Branch, William A., McGough, B., (2010) “Dynamic predictor selection in a new Keynesian model with heterogeneous expectations.” *Journal of Economic Dynamics and Control*, 34, 8, 1492–1508.
- [4] Feder, Jens, (1988) *Fractals*, Plenum Press, New York.
- [5] Hurst, Edwin H., (1951) “Long-term storage capacity of reservoirs.” *Transactions of the American Society of Civil Engineers*, 116, 770–808.
- [6] Hurst, Edwin H., (1955) “Methods of using long-term storage in reservoirs.” *Proceedings of the Institution of Civil Engineers*, part 1, 519–577.

⁹I would like to thank Jens Feder because this subsection has been improved by his comments.

¹⁰We use the empirical distribution of the Hurst exponent to calculate the 95% confidence intervals, because the minimum sample size of the recursive regression is only three. Bootstrapping is very fragile in small samples.

- [7] Kindleberger, Charles P., (1977) *Manias, panics, and crashes*. Basic Books, New York.
- [8] Mandelbrot, Benoit B., (1971) “When can price be arbitrated efficiently? A limit to the validity of the random walk and martingale models.” *The Review of Economics and Statistics*, 53, 3, 225–236.
- [9] Mandelbrot, Benoit B., (1985) “Self-affinity and fractal dimension.” *Physica Scripta*, 32, 257–260.
- [10] Mandelbrot, Benoit B., (1986) “Self-affine fractal sets.” *Fractals in Physics*, Edited by: Tosatti, E., Pietrelli, L., 3–28, North-Holland, Amsterdam.
- [11] Mandelbrot, Benoit B., Passoja, D.E., Paullay, A.J., (1984) “Fractal character of fracture surfaces of metals.” *Nature*, 308, 19, 721–722.

Figures and Tables




Figure 1: Fitted and realized values for the rescaled range

Note: (i) $\log(R/S)$ denotes the rescaled range for the S&P growth rates. (ii) Gray lines are generated by regressions using 5555 bootstrapping.

Table 1: Hurst exponent for the S&P 500

Hurst exponent (H)	
0.7250	
(0.4953)	(1.1022)

Note: (i) Figures in parentheses denote bootstrapped 95% confidence intervals.




Figure 2: Sequential estimates for the Hurst exponent

Note: Shaded area denotes 95% confidence interval for H .