



J-Aggregate Formation of Spiropyran Derivatives in LB and Vapor-Deposited Thin Films

Matsumoto, Kouji
Shinohara, Takashi
Koshiba, Yasuko
Ueda, Yasukiyo
Ji, Zhenguo

(Citation)

Molecular Crystals and Liquid Crystals, 445(1):17-26

(Issue Date)

2006-03

(Resource Type)

journal article

(Version)

Accepted Manuscript

(URL)

<https://hdl.handle.net/20.500.14094/90000461>



J-aggregate Formation of Spiropyran Derivatives in LB and Vapor-deposited Thin Films

Kouji Matsumoto^{a)}, Takashi Shinohara^{a)}, Yasuko Koshiba^{a)}, Yasukiyo Ueda^{a)} and Zhenguo Ji^{b)}

^{a)} Graduate School of Science and Technology, Kobe University, Rokko, Nada, Kobe, 657-8501, Japan

^{b)} Zhejiang University, China

Abstract

J-aggregate formation in the films of spiropyran derivatives (SP1822 and SP18) prepared with Langmuir-Blodgett (LB) and vapor-deposition methods was investigated. In the films of SP1822, J-aggregate formation occurred with UV light illumination and thermal treatment. In the case of SP18 film, on the other hand, only photoisomerization occurred. When the PMC-form of SP18 was transferred onto a glass plate, J-like aggregate formation occurred after UV light illumination. By UV light illumination during evaporation process, SP1822 formed J-aggregate. Finally, SP1822 J-aggregate film oriented one-dimensionally was fabricated by using a PTFE layer as a substrate.

Keywords: spiropyran, photochromic behavior, J-aggregate, J-like aggregate, LB method and vapor-deposition method

INTRODUCTION

J-aggregates are assemblies of organic dye molecules with an ordered structure. The typical feature of J-aggregates is the red-shift of the absorption band with a small Stokes shift. J-aggregate has been attracted wide attention. Interests in J-aggregates originally stemmed from the spectral sensitization. Recent development in the research on J-aggregates derives from the expectations that J-aggregate will be used as materials for optical storage and ultrafast optical switching. Spiropyran is one of the dye molecules that form J-aggregates. Spiropyran derivatives reversibly isomerize between spiropyran (SP)-form and photomerocyanine (PMC)-form by UV light illumination. Some PMC-form

molecules assemble spontaneously in J-aggregate. There have been many reports on photochromic behavior and J-aggregate formation of spiropyran derivatives [1~5]. Previously, we reported J-aggregate formation of SP1822 in LB and vapor-deposited film [6]. J-aggregate formation in SP1822 LB film occurred by UV light illumination at 35°C.

In this study, the LB films of SP18 and of SP1822/SP18 mixture were fabricated and J-aggregate formation in the LB film was investigated. SP1822 was also vapor-deposited on its J-aggregate LB film and a friction-transferred polytetrafluoroethylene (PTFE) layer. The effects of substrates and the vapor-deposition process on J-aggregate formation were investigated.

EXPERIMENTAL

Glass plates were used as a substrate for preparation of LB films. They were cleaned ultrasonically in water with detergent for 15 minutes, in distilled water for 15 minutes, and in methanol for 15 minutes. Two spiropyran derivatives used here were 1-octadecyl-3,3-dimethyl-6-nitro-8-[docosanoyloxymethyl]-spiro[2H-1-benzopyran-2,2'-indoline] (SP1822) and 1',3'-dihydro-3',3'-dimethyl-6-nitro-1'-octadecylspiro[2H-benzopyran-2,2'-2H] indole (SP18). Their molecular structures and photochromic behavior are shown in Figure 1. These samples were purchased from Dojindo Laboratory Co.Lt. LB films of spiropyran derivatives were prepared on air-water interface of a LB trough (Kyowa Kaimen Kagaku Co.Lt). A chloroform solution of SP1822 or SP18 mixed with arachidic acid (AA) and of SP1822/SP18/AA mixture (molar ratio = 1:1 and 1:1:1, respectively) was spread on a distilled water kept at 5°C. The molecules were compressed with a moving barrier at the speed of 14cm²/min. Layers were transferred onto glass plates by vertical dipping method. Vapor-deposition of SP1822 was performed as follows. SP1822 was evaporated on a substrate from fused silica crucible heated




Figure 1 Molecular structure and photochromism of spiropyran derivatives.

J-aggregate Formation of Spiropyran Derivatives

by a tungsten filament in a vacuum of 10^{-3} Pa. A glass plate, SP1822 LB film and a friction-transferred PTFE layer were used as a substrate. The substrate temperature was kept at room temperature (r.t.) and 35°C and the deposition rate was controlled to be about 1 nm/min in thickness monitored by a quartz crystal microbalance. The film thickness was about 20 nm. When the UV light was illuminated during evaporation process, the light intensity was controlled to be about $5\mu\text{W}/\text{cm}^2$ and $15\mu\text{W}/\text{cm}^2$. The optical properties and structures of the films were investigated by visible absorption and photoluminescence spectroscopy and transmission electron microscopy (TEM).

RESULTS AND DISCUSSION

LB film

SP18 and SP1822 LB films were consisted of SP-form molecules because these films had no absorption peaks in the visible wavelength range. Figure 2 shows the spectral changes of SP18 and SP1822 LB films with UV light (365 nm) illumination. Upon UV light illumination at room temperature, the broad absorption band appeared in the wavelength range of 450–650 nm, as shown in Figure 2(a). This band is assigned to PMC-form of SP1822 molecule. When the SP1822 LB film was exposed to UV light at ambient temperature of 35°C , the red-shifted sharp absorption peak appeared at 618 nm, in addition to absorption peak of PMC-form, as shown in Figure 2(b). In fluorescence spectrum of the film, a single emission peak was observed at 624 nm (Fig. 2(c)). The Stokes shift




Figure 2 Visible absorption (solid lines) and PL (dotted lines) spectra of the LB films of SP1822 (a,b,c) and SP18 (d,e) after UV light illumination at r.t. (a), 35°C (b,c) and 50°C (d,e).




Figure 3 Visible absorption spectra of the LB film of SP1822/SP18 mixture after UV light illumination at 30°C and 50°C for 15 min.

was 6nm. From these results, this band is assigned to J-aggregate of PMC-form. In SP18 LB film, on the other hand, only photoisomerization from SP-form to PMC-form occurred. Another process is necessary for J-aggregate formation of SP18. Prior to spreading on water, SP18 was exposed to UV light in chloroform solution. SP18 changed from SP-form into PMC-form. The solution containing PMC-form was spread on water and the film was transferred onto a glass plate. After UV light illumination at ambient temperature of 50°C, the red-shifted sharp absorption peak appeared at 570nm, as shown in Figure 2(d). Single emission peak was observed at 605nm (Fig.2(e)). The Stokes shift between the absorption peak and the emission peak was 35nm. Generally, J-aggregate is characterized with a small Stokes shift (less than 10nm). The absorption band at 570nm is assigned not to J-aggregate of PMC-form but to different aggregate. Therefore, this band is assigned as J-like aggregate. Figure 3 shows the absorption spectra of the LB film of a SP1822/SP18 mixture after UV light (365nm) illumination at 30°C and 50°C. Before UV light illumination, there were no absorption peaks, so both SP1822 and SP18 molecules were SP-form. After UV light illumination at ambient temperature of 30°C, two absorption peaks appeared at 570nm and 618nm in the absorption spectrum of the film (Fig. 3(a)). The absorption peaks at 570nm and 618nm are assigned to J-like aggregate of SP18 and J-aggregate of SP1822, respectively. With longer UV light illumination, the intensity of absorption peak at 618nm became remarkably strong, but the intensity change of absorption peak at 570nm was not so large comparing with that of absorption peak at 618nm (Fig. 3(b)).

Upon UV light illumination at 50°C, on the other hand, the absorption peak

J-aggregate Formation of Spiropyran Derivatives

appeared only at 570nm as shown in (Fig. 3(a)). The absorption intensity became stronger with longer UV light illumination (Fig. 3(b)). These results indicate that J-aggregate and J-like aggregate formation in the LB film of SP1822/SP18 mixture occurred selectively depending on the ambient temperature during UV light illumination.

Vapor-deposited film

SP1822 was vapor-deposited on a glass plate without any thermal decomposition. The deposited film was composed of SP-form molecules. Figure 4(a) and (b) show the visible absorption spectra of SP1822 film deposited on a glass plate at room temperature. In an as-deposited film, SP1822 molecules exist as SP-form because there are no absorption peaks in a visible wavelength region. After UV light illumination at room temperature, the broad absorption band corresponding to PMC-form appeared in the wavelength range of 500-600nm. The photoisomerization from SP-form to PMC-form occurred easily even in a vapor-deposited film. When the film was exposed to UV light under the ambient temperature at 35°C, J-band appeared at 618nm. J-aggregation in the film vapor-deposited on the glass substrate occurred under the condition of UV light illumination at slightly high temperature than r.t. (i.e.; 35°C). Figure 4 shows the absorption spectra of SP1822 film vapor-deposited on SP1822 J-aggregate LB film before and after UV light illumination. The absorption spectrum of the deposited film shows two peaks at 570nm and 618nm (Fig. 4(a)). These peaks originate from PMC-form and J-aggregation in LB film used as a substrate




Figure 4 Visible absorption spectra of the SP1822 film vapor-deposited on SP1822 J-aggregate LB film before (a) and after (b) UV light illumination at r.t.

respectively. It is noticed that J-aggregate is stable in a vacuum. After UV light illumination without special heating, the intensities of both absorption peaks increase (Fig. 4(b)). It was found that J-aggregation is induced only with UV light illumination in this case. It is noteworthy that the intensity ratio of I_{570}/I_{620} is same before and after UV light illumination. There are two domains in SP1822 LB film. One is consisted of PMC-form and the other is J-aggregate of PMC-form, as shown in Figure 5(a). Evaporant molecules were deposited as SP-form (Fig. 5(b)). Upon UV exposure, SP-form molecules photoisomerize to PMC-form. At that time, SP-form molecules on the domain consisted of PMC-form only photoisomerize. SP-form molecules on the domain consisted of J-aggregate of PMC-form, on the other hand, photoisomerize and assemble spontaneously since the J-aggregate domain acts as a nucleus for aggregate formation, as shown in Figure 5(c). Therefore, both domains coexist in the film and the ratio of PMC-form/J-aggregate is same value before and after UV light illumination. J-aggregate formation induced only with UV light illumination (without special heating) in the vapor-deposited film was observed for the first time. This result suggests that J-aggregate formation is dependent strongly on the structure of substrate.

Since pioneering research by Wittmann and Smith, the usefulness of a friction-transferred PTFE layer as a substrate for achieving high molecular alignment has been attracted wide attention. We have investigated the structure and properties of organic molecules such as phthalocyanine and distyrylbenzene and so on [7-11].




Figure 5 Schematic representation of J-aggregate formation of evaporant SP1822 deposited on its LB film.

J-aggregate Formation of Spiropyran Derivatives

Such molecules oriented uniaxially on a PTFE layer and their optical and electric properties indicated remarkable anisotropy. In this study, SP1822 was deposited on a PTFE layer with UV light illumination during evaporation process. Figure 6 shows the experimental setup and absorption spectra of SP1822 film vapor-deposited on a PTFE layer. The SP1822 film deposited on a PTFE layer without UV light illumination also was consisted of SP-form molecules. After UV exposure under the ambient temperature at 35°C, J-band appeared at 618nm, as shown in Figure 6(a). The full width at half maximum (FWHM) of absorption peak is 52nm. When SP1822 was deposited at 35°C under UV light illumination (365nm, $15\mu\text{Wcm}^{-2}$) during evaporation process, a sharp absorption peak corresponding to J-aggregate of PMC-form appeared just after vapor-deposition, as shown in Fig. 5(b). This indicates that the J-aggregate formation occurred during vapor-deposition process. The FWHM of J-band peak was 28nm. On the other hand, the FWHM of J-band peak of the film deposited under UV light illumination with $5\mu\text{Wcm}^{-2}$ power is 40nm. Generally, the FWHM relates closely with molecular ordering in the film. The more the regularity of molecular packing in the film improves, the narrower the FWHM becomes. Therefore it is found that the regularity of molecular packing in J-aggregate also depends on the UV light power during evaporation.

Figure 7 shows a TEM image and a high resolution electron diffraction (HRED)




Figure 6 Visible absorption spectra of the SP1822 film vapor deposited on a PTFE layer.

- (a) Exposed to UV light at 35°C after vapor-deposition
 - (b) With UV light illumination at 35°C during vapor-deposition
- The inset indicates the schematic diagram of experimental setup




Figure 7 TEM image and HRED pattern of the SP1822 film vapor-deposited on a PTFE layer with UV light illumination during evaporation process

pattern of the film vapor-deposited on a PTFE layer at 35°C with UV light illumination during evaporation process. The film was composed of thin plate-like crystals and rod-like ones. The HRED pattern of the film shows the superposition of the reflection spots from the PTFE layer used as a substrate and those from the deposited J-aggregate indicated by white arrows in the figure. The reflection spots from the deposited J-aggregate appear as arc. This suggests that J-aggregate oriented one-dimensionally on a PTFE layer. However, further information concerning the molecular orientation can not be obtained because the crystal structure of J-aggregate of PMC-form has not been determined yet. Figure 8 shows the polarized absorption spectra of the film on a PTFE layer. The anisotropic feature in absorption can be observed. The dichroic ratio ($I_{//}/I_{\perp}$) obtained from absorption peak at 618nm is 2.1. This is the first report on fabrication of one-dimensionally oriented J-aggregate originated from spiropyran derivatives.




Figure 8 Visible polarized absorption spectra of the SP1822 film vapor-deposited on a PTFE layer with UV light illumination during evaporation process

J-aggregate Formation of Spiropyran Derivatives

CONCLUSIONS

This report provides the detailed results of J-aggregate formation in LB and vapor-deposited films of spiropyran derivatives. In SP1822 films prepared with both LB and Vapor-deposition methods, J-aggregate formation occurred with UV light illumination at 35°C. In the case of SP18 film, only photoisomerization occurred. When the PMC-form of SP18 was transferred onto a glass plate, J-like aggregate formation occurred after UV light illumination at 50°C. In the LB film of SP1822/SP18 mixture, on the other hand, J-aggregate and J-like aggregate formation occurred selectively depending on the ambient temperature during UV light illumination. SP1822 vapor-deposited on its J-aggregate LB film formed J-aggregate only with UV light illumination (without special heating). This is the first experimental result that J-aggregate formation in the vapor-deposited film was induced only with UV light illumination.

By UV light illumination during evaporation process, SP1822 formed J-aggregate. The FWHM at J-band peak of the film was much smaller than that of the film exposed to UV light at 35°C after vapor-deposition. Finally, SP1822 J-aggregate film oriented one-dimensionally was fabricated using a PTFE layer as a substrate.

ACKNOWLEDGEMENTS

This work was partially supported by Grant-in-Aid for Scientific Research (16360040) and by Tokyo Ohka Foundation for the Promotion of Science and Technology.

REFERENCES

- [1] M. Matsumoto, *Journal of Photochemistry and Photobiology A: Chemistry*. 158, Issues 2-3, 199-203 (2003)
- [2] H. Tachibana, Y. Yamanaka, H. Sakai, M. Abe, M. Matsumoto. *Journal of Luminescence*. 87-89, 800-802 (2000)
- [3] E. Ando, J. Miyazaki, K. Morimoto, H. Nakahara, K. Fukuda: *Thin Solid Films*. 133, 21-28
- [4] Y. Ueda, K. Nitta. *Jpn. J. Appl. Phys.* 40, 6951-6955 (2001)
- [5] Y. Aritoshi, K. Nitta, Y. Ueda, Z. Ji. *Mol Cryst Liq Cryst*. 377, 145-148 (2002)

- [6] S. Nishitani, T. Shinohara, Y. Koshiba, Y. Ueda, Z. Ji. *Mem. Grad. School Sci. & Technol., Kobe Univ*, 22-A, 33-38 (2004)
- [7] Y. Ueda, T. Kuriyama, T. Hari, M. Ashida, *J. Electron Microsc.*, 43, 99-103(1994)
- [8] Y. Ueda, T. Kuriyama, T. Hari, M. Watanabe, N. Jingping, Y. Hattori, N. Uenishi, T. Uemiya. *Jpn. J. Appl. Phys.*, 34, 3876-3883(1995)
- [9] Y. Ueda, T. Hari, T. Thumori, M Yano, N. Jingping. *Appl. Surface Sci.*, 113/114,304-309 (1997)
- [10] Y. Ueda, T. Murakami, S. Masaki, J. Chen, N. Jingping, Y. Yoshida, N. Tanigaki, K. Yase, D.K.Wang. *Mol. Cryst. Liq. Cryst.*, 370, 245-248 (2001)
- [11] T. Saito, Y. Ueda, K. Harada, K. Fukunishi. *Mol. Cryst. Liq. Cryst.*, 407, 157-165 (2003)

deposited on its LB film

Figure 6 Visible absorption spectra of the SP1822 film vapor deposited on a PTFE layer

- (a) Exposed to UV light at 35°C after vapor-deposition
- (b) With UV light illumination at 35°C during vapor-deposition

The inset indicates the schematic diagram of experimental setup

Figure 7 TEM image and HRED pattern of the SP1822 film vapor-deposited on a PTFE layer with UV light illumination during evaporation process

Figure 8 Visible polarized absorption spectra of the SP1822 film vapor-deposited on a PTFE layer with UV light illumination during evaporation process